

according to Regulation (EC) No 1907/2006

SANIT ArmaturenGlanz

Revision date: 05.04.2019

Product code: 5550572

Page 1 of 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SANIT ArmaturenGlanz

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Company name:	SANIT-Chemie	
	Reinigungsmittel und -geräte GmbH	
Street:	Dieselstr. 38	
Place:	D-74211 Leingarten	
Telephone:	+49 7131 902100	Telefax: +49 7131 404360
e-mail:	info@sanit-chemie.de	
Contact person:	Produktmanagement	Telephone: 07131 90210-20
Internet:	www.sanit-chemie.de	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes skin irritation.

Causes serious eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

phosphoric acid; orthophosphoric acid ... %

fatty alcohol ethoxylate, polymer

Signal word: Danger

Pictograms:



Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to Regulation (EC) No 1907/2006

SANIT ArmaturenGlanz

Revision date: 05.04.2019

Product code: 5550572

Page 2 of 5

Chemical characterization

Labelling for contents according to regulation (EC) No 648/2004, annex 7: < 5% cationic surfactants < 5% nonionic surfactants, Corrosion inhibitor

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7664-38-2	phosphoric acid; orthophosphoric acid ... %			15 - < 20 %
	231-633-2	015-011-00-6		
	Skin Corr. 1B; H314			
	fatty alcohol ethoxylate, polymer			1 - < 5 %
			02-2119552461-55	
	Acute Tox. 4, Eye Dam. 1, Aquatic Acute 1; H302 H318 H400			
85409-23-0	C12-14-Alkyldimethyl(ethylbenzyl)ammonium chloride			0.1 - < 1 %
	Acute Tox. 4, Skin Corr. 1, Aquatic Acute 1; H302 H314 H400			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures
4.1. Description of first aid measures
General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with: Water. Subsequently wash off with: Polyethylene glykol 400.
Remove contaminated, saturated clothing immediately.

After contact with eyes

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Potential hazards: Stomach perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

Caution if victim vomits: Risk of aspiration!

SECTION 5: Firefighting measures
5.1. Extinguishing media
Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Suppress gases/vapours/mists with water spray jet. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

according to Regulation (EC) No 1907/2006

SANIT ArmaturenGlanz

Revision date: 05.04.2019

Product code: 5550572

Page 3 of 5

SECTION 6: Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage
7.1. Precautions for safe handling
Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

7.2. Conditions for safe storage, including any incompatibilities
Requirements for storage rooms and vessels

Keep container tightly closed.

SECTION 8: Exposure controls/personal protection
8.1. Control parameters
Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

8.2. Exposure controls
Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Tested protective gloves are to be worn: CR (polychloroprenes, Chloroprene rubber). Thickness of glove material: 0,65 mm penetration time (maximum wearing period): 480 min

SECTION 9: Physical and chemical properties
9.1. Information on basic physical and chemical properties

Physical state: liquid
 Colour: clear

according to Regulation (EC) No 1907/2006

SANIT ArmaturenGlanz

Revision date: 05.04.2019

Product code: 5550572

Page 4 of 5

pH-Value (at 20 °C): 0,8

Changes in the physical state

Initial boiling point and boiling range: 100 °C

Oxidizing properties

Non-flammable.

Density: 1,1 g/cm³

Water solubility: completely miscible

SECTION 10: Stability and reactivity

10.3. Possibility of hazardous reactions

Alkalis (alkalis).

10.5. Incompatible materials

Slowly corrodes aluminium and zink under hydrogen evolution.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
	fatty alcohol ethoxylate, polymer				
	oral	ATE 500 mg/kg			
85409-23-0	C12-14-Alkyldimethyl(ethylbenzyl)ammonium chloride				
	oral	ATE 500 mg/kg			

Irritation and corrosivity

after ingestion: Irritant and corrosive effects. Potential hazards: Stomach perforation.

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7664-38-2	phosphoric acid; orthophosphoric acid ... %					
	Acute fish toxicity	LC50 138 mg/l	96 h	Gambusia affinis		

12.2. Persistence and degradability

Technically correct releases of minimal concentrations to adapted biological sewage treatment facility, will not disturb the biodegradability of activated sludge.

12.3. Bioaccumulative potential

The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

Further information

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

according to Regulation (EC) No 1907/2006

SANIT ArmaturenGlanz

Revision date: 05.04.2019

Product code: 5550572

Page 5 of 5

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.

Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): 2 - clearly water contaminating

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 7.

Relevant H and EUH statements (number and full text)

- | | |
|------|--|
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H400 | Very toxic to aquatic life. |

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)