

according to Regulation (EC) No 1907/2006

SANIT wcMobil

Revision date: 04.06.2019

Product code: 5550597

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SANIT wcMobil

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Biocides (e.g. disinfectants and parasiticide)

1.3. Details of the supplier of the safety data sheet

Company name:	SANIT-Chemie	
	Reinigungsmittel und -geräte GmbH	
Street:	Dieselstr. 38	
Place:	D-74211 Leingarten	
Telephone:	+49 7131 902100	Telefax: +49 7131 404360
e-mail:	info@sanit-chemie.de	
Contact person:	Produktmanagement	Telephone: 07131 90210-20
Internet:	www.sanit-chemie.de	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 2

Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Corr. 1B

Serious eye damage/eye irritation: Eye Dam. 1

Respiratory or skin sensitisation: Resp. Sens. 1

Respiratory or skin sensitisation: Skin Sens. 1A

Specific target organ toxicity - single exposure: STOT SE 3

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Fatal if inhaled.

Harmful if swallowed.

Causes severe skin burns and eye damage.

Causes serious eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

May cause respiratory irritation.

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

glutaral; glutaraldehyde; 1,5-pentanedial

fatty alcohol ethoxylate, polymer

Signal word: Danger

Pictograms:



according to Regulation (EC) No 1907/2006

SANIT wcMobil

Revision date: 04.06.2019

Product code: 5550597

Page 2 of 10

Hazard statements

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash ... thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	Wear respiratory protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P312	Call a POISON CENTER/doctor if you feel unwell.
P302+P352	IF ON SKIN: Wash with plenty of
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P321	Specific treatment (see ... on this label).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P310	Immediately call a POISON CENTER/doctor.
P320	Specific treatment is urgent (see ... on this label).
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container to

Special labelling of certain mixtures

EUH071	Corrosive to the respiratory tract.
--------	-------------------------------------

Additional advice on labelling

Use biocides safely. Always read the label and product information before use.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Chemical characterization

5-15% nichtionische Tenside, Glutardialdehyd, Glykole, Duftstoffe, Limonene, Coumarin. Wirkstoff in 100g:
12,36 g Glutardialdehyd, 0,15g Bronopol

according to Regulation (EC) No 1907/2006

SANIT wcMobil

Revision date: 04.06.2019

Product code: 5550597

Page 3 of 10

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
111-30-8	glutaral; glutaraldehyde; 1,5-pentanedial			10 - < 15 %
	203-856-5	605-022-00-X		
	Acute Tox. 2, Acute Tox. 3, STOT SE 3, Skin Corr. 1B, Resp. Sens. 1, Skin Sens. 1A, Aquatic Acute 1 (M-Factor = 1), Aquatic Chronic 2; H330 H301 H335 H314 H334 H317 H400 H411 EUH071			
	fatty alcohol ethoxylate, polymer			10 - < 15 %
			02-2119552461-55	
	Acute Tox. 4, Eye Dam. 1, Aquatic Acute 1; H302 H318 H400			
52-51-7	bronopol (INN); 2-bromo-2-nitropropane-1,3-diol			0.1 - < 1 %
	200-143-0	603-085-00-8		
	Acute Tox. 4, Acute Tox. 4, STOT SE 3, Skin Irrit. 2, Eye Dam. 1, Aquatic Acute 1 (M-Factor = 10); H312 H302 H335 H315 H318 H400			
5989-27-5	(R)-p-mentha-1,8-diene; d-limonene			0.1 - < 1 %
	227-813-5	601-029-00-7		
	Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H226 H315 H317 H400 H410			
91-64-5	Coumarin			< 0.1 %
	202-086-7		01-2119949300-45	
	Acute Tox. 4, Skin Sens. 1A; H302 H317			

Full text of H and EUH statements: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % non-ionic surfactants, perfumes (Limonene, Coumarin).

SECTION 4: First aid measures
4.1. Description of first aid measures
General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down. Move victim out of danger zone. Do not leave affected person unattended. Change contaminated clothing.

After inhalation

Provide fresh air. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Call a physician immediately. Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary. After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately.

according to Regulation (EC) No 1907/2006

SANIT wcMobil

Revision date: 04.06.2019

Product code: 5550597

Page 4 of 10

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures
5.1. Extinguishing media
Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water. alcohol resistant foam. Dry extinguishing powder.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage
7.1. Precautions for safe handling
Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Keep container tightly closed in a cool, well-ventilated place. Keep away from food, drink and animal feedingstuffs.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Further information on handling

It is recommended to design all work processes always so that the following is excluded: skin contact. Eye contact.

according to Regulation (EC) No 1907/2006

SANIT wcMobil

Revision date: 04.06.2019

Product code: 5550597

Page 5 of 10

7.2. Conditions for safe storage, including any incompatibilities
Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Biocides (e.g. disinfectants and parasiticide)

SECTION 8: Exposure controls/personal protection
8.1. Control parameters
Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
111-30-8	Glutaraldehyde	0.05	0.2		TWA (8 h)	WEL
		0.05	0.2		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not eat, drink, smoke or sneeze at the workplace.

Eye/face protection

Suitable eye protection: goggles. Tightly sealed safety glasses.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Breakthrough times and swelling properties of the material must be taken into consideration. Tested protective gloves are to be worn: NBR (Nitrile rubber). penetration time (maximum wearing period): 120 min

Skin protection

@1501.B151149.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

according to Regulation (EC) No 1907/2006

SANIT wcMobil

Revision date: 04.06.2019

Product code: 5550597

Page 6 of 10

SECTION 9: Physical and chemical properties
9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	dark blue
Odour:	stinging
pH-Value (at 20 °C):	6,2

Changes in the physical state

Melting point:	0 °C
Initial boiling point and boiling range:	100 °C
Flash point:	not determined

Flammability

Solid:	not applicable
Gas:	not applicable

Explosive properties

The product is not: Explosive.

Lower explosion limits:	not determined
Upper explosion limits:	not determined

Auto-ignition temperature

Solid:	not applicable
Gas:	not applicable

Decomposition temperature:	not determined
----------------------------	----------------

Oxidizing properties

Not oxidising.

Vapour pressure:	not determined
------------------	----------------

Density:	1,04 g/cm ³
----------	------------------------

Water solubility:	completely miscible
-------------------	---------------------

Solubility in other solvents

not determined

Partition coefficient:	not determined
------------------------	----------------

Viscosity / dynamic:	not determined
----------------------	----------------

Viscosity / kinematic:	not determined
------------------------	----------------

Vapour density:	not determined
-----------------	----------------

Evaporation rate:	not determined
-------------------	----------------

9.2. Other information

Solid content:	not determined
----------------	----------------

SECTION 10: Stability and reactivity
10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Acid, concentrated.

according to Regulation (EC) No 1907/2006

SANIT wcMobil

Revision date: 04.06.2019

Product code: 5550597

Page 7 of 10

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information
11.1. Information on toxicological effects
ATEmix calculated

ATE (oral) 666,7 mg/kg; ATE (inhalation vapour) 3,85 mg/l; ATE (inhalation aerosol) 0,385 mg/l

Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
111-30-8	glutaral; glutaraldehyde; 1,5-pentanedial				
	oral	ATE 100 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation aerosol	ATE 0,05 mg/l			
	fatty alcohol ethoxylate, polymer				
	oral	ATE 500 mg/kg			
52-51-7	bronopol (INN); 2-bromo-2-nitropropane-1,3-diol				
	oral	ATE 500 mg/kg			
	dermal	ATE 1100 mg/kg			
5989-27-5	(R)-p-mentha-1,8-diene; d-limonene				
	oral	LD50 > 2000 mg/kg	Rat	GESTIS	
	dermal	LD50 > 2000 mg/kg	Rabbit	IUCLID	
91-64-5	Coumarin				
	oral	ATE 500 mg/kg			

Sensitising effects

no danger of sensitization.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

SECTION 12: Ecological information
12.1. Toxicity

Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No 1907/2006

SANIT wcMobil

Revision date: 04.06.2019

Product code: 5550597

Page 8 of 10

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
5989-27-5	(R)-p-mentha-1,8-diene; d-limonene					
	Acute fish toxicity	LC50	0,7 mg/l	96 h	Pimephales promelas	
	Acute crustacea toxicity	EC50	0,42 mg/l	48 h	Daphnia magna	

12.2. Persistence and degradability

Technically correct releases of minimal concentrations to adapted biological sewage treatment facility, will not disturb the biodegradability of activated sludge.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
5989-27-5	(R)-p-mentha-1,8-diene; d-limonene	4,23

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations
13.1. Waste treatment methods
Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

@1301.B130039 Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information
Land transport (ADR/RID)
14.1. UN number:

UN3265

14.2. UN proper shipping name:

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

14.3. Transport hazard class(es):

8

14.4. Packing group:

III

Hazard label:

8



Classification code:

C3

Special Provisions:

274

Limited quantity:

5 L

according to Regulation (EC) No 1907/2006

SANIT wcMobil

Revision date: 04.06.2019

Product code: 5550597

Page 9 of 10

Transport category:	3
Hazard No:	80
Tunnel restriction code:	E

Other applicable information (land transport)

E1

14.6. Special precautions for user

Warning: strongly corrosive.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3: (R)-p-mentha-1,8-diene; d-limonene

Information according to 2012/18/EU (SEVESO III):	H2 ACUTE TOXIC
---	----------------

National regulatory information

Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
--------------------------	--

Water contaminating class (D):	2 - clearly water contaminating
--------------------------------	---------------------------------

Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.
--------------------------------	---

Biocide registry number:	N-71844
--------------------------	---------

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information
Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

according to Regulation (EC) No 1907/2006

SANIT wcMobil

Revision date: 04.06.2019

Product code: 5550597

Page 10 of 10

BCF: Bio-concentration factor
 PBT: persistent, bioaccumulative, toxic
 vPvB: very persistent, very bioaccumulative
 ADR: Accord européen sur le transport des marchandises dangereuses par Route
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Regulations concerning the international carriage of dangerous goods by rail
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 IBC: Intermediate Bulk Container
 SVHC: Substance of Very High Concern
 For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 2; H330	Calculation method
Acute Tox. 4; H302	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Resp. Sens. 1; H334	Calculation method
Skin Sens. 1A; H317	Calculation method
STOT SE 3; H335	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled .
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects .
H411	Toxic to aquatic life with long lasting effects .
H412	Harmful to aquatic life with long lasting effects .
EUH071	Corrosive to the respiratory tract.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)