



HANSABASIC


Installation and maintenance guide



4-9



10,12,
13




11-12



14-19



20



21




22



5542 2203



EN 817
50 - 1000 kPa
0.08 l/s (300 kPa w/Controller)
max. +70°C



mpi.hansa.com/55422203

5540 2203


EN 817
50 - 1000 kPa
0.08 l/s (300 kPa w/Controller)
max. +70°C



mpi.hansa.com/55402203

5552 2203

EN 817
50 - 1000 kPa
0.08 l/s (300 kPa w/Controller)
max. +70°C





mpi.hansa.com/55522203



5550 2203


EN 817
 50 - 1000 kPa
 0.08 l/s (300 kPa w/Controller)
 max. +70°C



mpi.hansa.com/55502203

5554 2203


EN 817
 50 - 1000 kPa
 0.08 l/s (300 kPa w/Controller)
 max. +70°C



mpi.hansa.com/55542203

5555 2203



EN 817
 50 - 1000 kPa
 0.08 l/s (300 kPa w/Controller)
 max. +70°C




mpi.hansa.com/55552203

**5547 2203**


EN 817
 50 - 1000 kPa
 0.08 l/s (300 kPa w/Controller)
 max. +70°C

mpi.hansa.com/55472203**5548 2203**

EN 817
 50 - 1000 kPa
 0.18 l/s (300 kPa)
 max. +70°C

mpi.hansa.com/55482203**5556 2203**


EN 817
 50 - 1000 kPa
 0.18 l/s (300 kPa)
 max. +70°C

mpi.hansa.com/55562203



5545 0103


EN 817
50 - 1000 kPa
0.21 l/s (300 kPa)
max. +80°C



mpi.hansa.com/55450103

5544 2103



EN 817
50 - 1000 kPa
0.36 / 0.22 l/s (300 kPa)
max. +80°C



mpi.hansa.com/55442103

5538 0130

EN 1112, 1113
50 - 500 kPa
0.16 / 0.22 l/s (300 kPa)
max. +65°C




mpi.hansa.com/55380130



5578 0113


EN 1112, EN 1113
50 - 500 kPa
0.28 l/s (300 kPa)
max. +65°C



mpi.hansa.com/55780113

5578 0133


EN 1112, EN 1113
50 - 500 kPa
0.19 l/s (300 kPa)
max. +65°C



mpi.hansa.com/55780133

5515 0131

I (ISO 3822)
EN 1111
100 - 1000 kPa
0.16 l/s (Eco)
0.19 l/s (300 kPa)
max. +65°C




mpi.hansa.com/55150131



5535 0110


EN 1111, EN 1112, EN 1113
 100 - 1000 kPa
 0.18 / 0.24 l/s (300 kPa)
 max. +65°C







mpi.hansa.com/55350110






5516 2131





II (ISO 3822)
 EN 1111
 100 - 1000 kPa
 0.16 l/s (Eco)
 0.34 / 0.19 l/s (300 kPa)
 max. +65°C




mpi.hansa.com/55162131












1

















19


①




















1 3









②







③


















5

6









cleaning.hansa.com

Oras Group is a powerful European provider of sanitary fittings: the market leader in the Nordics and a leading company in Continental Europe. The company's mission is to make the use of water easy and sustainable and its vision is to become the European leader of advanced sanitary fittings. Oras Group has two strong brands: Oras and Hansa.

The Group's head office is located in Rauma, Finland, and the Group has three manufacturing sites: Kralovice (Czech Republic), Olesno (Poland) and Rauma (Finland). Oras Group employs approximately 1,200 people in twenty countries. Oras Group is owned by Oras Invest, a family company and an industrial owner.

HANSA Armaturen GmbH
P. O. BOX 81 02 40
D-70519 Stuttgart
Sigmaringer Strasse 107
D-70567 Stuttgart
Tel.: +49 711 16 14 0
Fax: +49 711 16 14 368
info@hansa.de
www.hansa.com

