# **Product Information**

# SANIT Fauch Gefäßfüller

# **Description**

- has been specially developed for checking and supplementing the gas pressure in diaphragm expansion tanks.
- is filled with an incombustible gas in a safe, compressed-gas bottle; which does not represent any hazard at all to the user.
- is free of alcohol and other, combustible substances.
- Corrosion is obviated when using the Fauch Gefäßfüller instead of compressed air, because neither oxygen nor humidity can enter the expansion tank.
- The filling volume amounts to approximately 110 litres, at a temperature of about 25 °C and a pressure of 1 bar.



SANIT-CHEMIE Reinigungsmittel und -geräte GmbH Dieselstraße 38 74211 Leingarten

**Telefon:** +49 7131 90210-0 **Telefax:** +49 7131 404360

**E-Mail:** info@sanit-chemie.de **Internet:** www.sanit-chemie.de





### **Application fields**

diaphragm expansion tanks in heating systems

#### **Application**

Screw the SANIT Adapter für Gefäßfüller (Art. no. 8700) onto the can's valve. Clamp the filling valve onto the expansion tank. Only the pressure in the compensating tank (balancing tank) can be read off on the adapter's manometer. Interrupt the filling procedure now and then for greater amounts and monitor the pressure in the diaphragm expansion tank. Close the valve on the adapter after completing the filling procedure, when the desired pressure has been reached. Unclamp the filling valve on the membrane expansion tank and unscrew the adapter from the aerosol can.

#### **Best before**

36 months

# **Delivery forms**

Quantity/PU	Content	ArtNo.
1 / 12	400 ml can	8200

You will find valid MSDS on our web page.