

Ramsauer GmbH & Co KG
4822 Bad Goisern / H.

Date printed 06.09.2019, Revision 06.09.2019

Version 07. Supersedes version: 06

Page 1 / 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

FLEX GRUND 1210

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Primer

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ramsauer GmbH & Co KG
Sarstein 17
4822 Bad Goisern / H. / AUSTRIA
Phone +43(0)6135 8205-0
Fax +43(0)6135 8323
Homepage www.ramsauer.at
E-mail office@ramsauer.at

Address enquiries to

Technical information office@ramsauer.at
Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body +43 (0) 1 406 43 43 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictograms none

Signal word none

Hazard statements none

Precautionary statements none

Special labelling EUH210 Safety data sheet available on request.
Product treated with preservatives C(M)IT/MIT (CAS: 55965-84-9).

Contains: 2-Methyl-2H-isothiazolin-3-one, Mixture: 5-Chloro-2-methyl-2H-isothiazolin-3-one/2-Methyl-4-isothiazolin-3-one (3:1), 1,2-benzisothiazol-3(2H)-one. EUH208 May produce an allergic reaction.

2.3 Other hazards

Human health dangers Frequent persistent contact with the skin can cause skin irritation.

Environmental hazards Does not contain any PBT or vPvB substances.

Other hazards Further hazards were not determined with the current level of knowledge.

Ramsauer GmbH & Co KG
4822 Bad Goisern / H.

Date printed 06.09.2019, Revision 06.09.2019

Version 07. Supersedes version: 06

Page 2 / 11

SECTION 3: Composition / Information on ingredients

Product-type:

3.2 The product is a mixture.

Range [%]	Substance
0,005 - <0,05	1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5, EINECS/ELINCS: 220-120-9, EU-INDEX: 613-088-00-6 GHS/CLP: Acute Tox. 4: H302 - Skin Irrit. 2: H315 - Eye Dam. 1: H318 - Skin Sens. 1: H317 - Aquatic Acute 1: H400, M = 1
0,00015 - <0,0015	2-Methyl-2H-isothiazolin-3-one CAS: 2682-20-4, EINECS/ELINCS: 220-239-6, EU-INDEX: 613-326-00-9, Reg-No.: 01-2120764690-50-XXXX GHS/CLP: Acute Tox. 3: H301 - Acute Tox. 2: H330 - Skin Corr. 1B: H314 - Skin Sens. 1A: H317 - Eye Dam. 1: H318 - Aquatic Acute 1: H400 - Aquatic Chronic 2: H411, M = 10
0,00015 - <0,0015	Mixture: 5-Chloro-2-methyl-2H-isothiazolin-3-one/2-Methyl-4-isothiazolin-3-one (3:1) CAS: 55965-84-9, EU-INDEX: 613-167-00-5 GHS/CLP: Acute Tox. 3: H301 H311 H331 - Skin Corr. 1C: H314 - Skin Sens. 1: H317 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410 - Acute Tox. 2: H310 H330 - Eye Dam. 1: H318, M = 100

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

not applicable

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

When in contact with the skin, clean with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Seek medical advice immediately.
Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Headache
Vertigo
Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product itself is non-combustible. Fire extinguishing method of surrounding areas must be considered.

Extinguishing media that must not be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released:
Carbon monoxide (CO)

Ramsauer GmbH & Co KG
4822 Bad Goisern / H.

Date printed 06.09.2019, Revision 06.09.2019

Version 07. Supersedes version: 06

Page 3 / 11

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures necessary if used correctly.

Do not eat or drink when working.

Wash hands before breaks and after work.

Use barrier skin cream.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Do not store together with food and animal food/diet.

Keep in a cool place. Store in a dry place.

Keep away from frost.

7.3 Specific end use(s)

See product use, SECTION 1.2

Ramsauer GmbH & Co KG
4822 Bad Goisern / H.

Date printed 06.09.2019, Revision 06.09.2019

Version 07. Supersedes version: 06

Page 4 / 11

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

DNEL

Substance
2-Methyl-2H-isothiazolin-3-one, CAS: 2682-20-4
Industrial, inhalative, Acute - local effects: 43 µg/m ³ .
Industrial, inhalative, Long-term - local effects: 21 µg/m ³ .
general population, oral, Acute - systemic effects: 53 µg/kg bw/day.
general population, oral, Long-term - systemic effects: 27 µg/kg bw/day.
general population, inhalative, Acute - local effects: 43 µg/m ³ .
general population, inhalative, Long-term - local effects: 21 µg/m ³ .

PNEC

Substance
2-Methyl-2H-isothiazolin-3-one, CAS: 2682-20-4
soil, 47 µg/kg soil dw.
sewage treatment plants (STP), 230 µg/L.
seawater, 3,39 µg/L.
freshwater, 3,39 µg/L.

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	0,4 mm Nitrile rubber, >120 min (EN 374-1/-2/-3). The details concerned are recommendations. Please contact the glove supplier for further information.
Skin protection	light protective clothing
Other	Avoid contact with eyes and skin. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
Respiratory protection	Not required under normal conditions.
Thermal hazards	not applicable
Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or limit emissions.

Ramsauer GmbH & Co KG
4822 Bad Goisern / H.

Date printed 06.09.2019, Revision 06.09.2019

Version 07. Supersedes version: 06

Page 5 / 11

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Color	bluish
Odor	characteristic
Odour threshold	not determined
pH-value	ca. 9
pH-value [1%]	not determined
Boiling point [°C]	ca. 100 (1023 mbar)
Flash point [°C]	not applicable
Flammability (solid, gas) [°C]	not applicable
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	ca. 2,3
Density [g/ml]	ca. 1,0
Bulk density [kg/m ³]	not applicable
Solubility in water	dispersible
Partition coefficient [n-octanol/water]	not applicable
Viscosity	<30 mPa.s (20 °C)
Relative vapour density determined in air	not applicable
Evaporation speed	not applicable
Melting point [°C]	not determined
Autoignition temperature [°C]	not applicable
Decomposition temperature [°C]	not determined

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

Aluminium
Kupfer

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Ramsauer GmbH & Co KG
 4822 Bad Goisern / H.

Date printed 06.09.2019, Revision 06.09.2019

Version 07. Supersedes version: 06

Page 6 / 11

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product
inhalative, Based on the available information, the classification criteria are not fulfilled.:
dermal, Based on the available information, the classification criteria are not fulfilled.:
oral, Based on the available information, the classification criteria are not fulfilled.:
Substance
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
LD50, dermal, Rat: > 5000 mg/kg (EPA OPP 81-2).
LD50, oral, Rat: 670-784 mg/kg (EPA Guideline).
LD50, oral, Rat: 1020 mg/kg.
NOAEL, oral, Rat: 10 mg/kg/90d (OECD 408).
2-Methyl-2H-isothiazolin-3-one, CAS: 2682-20-4
LD50, dermal, Rat: 242 mg/kg bw.
LD50, oral, Rat: 120 mg/kg bw.
LC50, inhalative, Rat: 340 µg/m³.
Mixture: 5-Chloro-2-methyl-2H-isothiazolin-3-one/2-Methyl-4-isothiazolin-3-one (3:1), CAS: 55965-84-9
LD50, dermal, Rabbit: 87,12 mg/kg (ECHA, CLH Report).
LD50, oral, 64 mg/kg (ECHA, CLH Report).
LD50, oral, Rat: 53 mg/kg.
LC50, inhalative, Rat: 0,171 mg/l/4h (ECHA, CLH Report).

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
 May cause an allergic skin reaction.

Specific target organ toxicity — single exposure Based on available data, the classification criteria are not met.

Specific target organ toxicity — repeated exposure Based on available data, the classification criteria are not met.

Mutagenicity Does not contain a relevant substance that meets the classification criteria.

Reproduction toxicity Does not contain a relevant substance that meets the classification criteria.

Carcinogenicity Does not contain a relevant substance that meets the classification criteria.

Aspiration hazard Based on available data, the classification criteria are not met.

General remarks

Toxicological data of complete product are not available.
 The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

Ramsauer GmbH & Co KG
4822 Bad Goisern / H.

Date printed 06.09.2019, Revision 06.09.2019

Version 07. Supersedes version: 06

Page 7 / 11

SECTION 12: Ecological information

12.1 Toxicity

Substance
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
LC50, (96h), Oncorhynchus mykiss: 1,4 mg/l (OECD 203).
LC50, (96h), Oncorhynchus mykiss: 0,8 mg/l.
EC50, (72h), Pseudokirchneriella subcapitata: 0,11 mg/l (OECD 201).
EC50, (48h), Daphnia magna: 1,05 mg/l (OECD 202).
EC50, (48h), Daphnia magna: 4,4 mg/l.
EC10, (72h), Pseudokirchneriella subcapitata: 0,04 mg/l (OECD 201).
2-Methyl-2H-isothiazolin-3-one, CAS: 2682-20-4
LC50, (96h), fish: 4,77 mg/L.
EC50, (96h), Algae: 72 µg/L.
EC50, (48h), Invertebrates: 934 µg/L.
Mixture: 5-Chloro-2-methyl-2H-isothiazolin-3-one/2-Methyl-4-isothiazolin-3-one (3:1), CAS: 55965-84-9
LC50, (96h), Oncorhynchus mykiss: 0,19 mg/l.
EC50, (48h), Daphnia magna: 0,18 mg/l.
ErC50, Skeletonema costatum: 0,003 mg/l.

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

not determined

12.4 Mobility in soil

not applicable

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

Ecological data of complete product are not available.

Ramsauer GmbH & Co KG
4822 Bad Goisern / H.

Date printed 06.09.2019, Revision 06.09.2019

Version 07. Supersedes version: 06

Page 8 / 11

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

For recycling, consult manufacturer.
Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended) 080416

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150102

SECTION 14: Transport information

14.1 UN number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Ramsauer GmbH & Co KG
4822 Bad Goisern / H.

Date printed 06.09.2019, Revision 06.09.2019

Version 07. Supersedes version: 06

Page 9 / 11

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions for people no

- VOC (2010/75/CE) 0 %

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 03)

H411 Toxic to aquatic life with long lasting effects.
H330 Fatal if inhaled.
H310+H330 Fatal in contact with skin or if inhaled.
H410 Very toxic to aquatic life with long lasting effects.
H314 Causes severe skin burns and eye damage.
H301 Toxic if swallowed.
H400 Very toxic to aquatic life.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H315 Causes skin irritation.
H302 Harmful if swallowed.

Ramsauer GmbH & Co KG

4822 Bad Goisern / H.

Date printed 06.09.2019, Revision 06.09.2019

Version 07. Supersedes version: 06

Page 10 / 11

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
 ATE = acute toxicity estimate
 CAS = Chemical Abstracts Service
 CLP = Classification, Labelling and Packaging
 DMEL = Derived Minimum Effect Level
 DNEL = Derived No Effect Level
 EC50 = Median effective concentration
 ECB = European Chemicals Bureau
 EEC = European Economic Community
 EINECS = European Inventory of Existing Commercial Chemical Substances
 ELINCS = European List of Notified Chemical Substances
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 IC50 = Inhibition concentration, 50%
 IMDG = International Maritime Code for Dangerous Goods
 IUCLID = International Uniform Chemical Information Database
 LC50 = Lethal concentration, 50%
 LD50 = Median lethal dose
 LC0 = lethal concentration, 0%
 LOAEL = lowest-observed-adverse-effect level
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships
 NOAEL = No Observed Adverse Effect Level
 NOEC = No Observed Effect Concentration
 PBT = Persistent, Bioaccumulative and Toxic substance
 PNEC = Predicted No-Effect Concentration
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
 STP = Sewage Treatment Plant
 TLV@TWA = Threshold limit value – time-weighted average
 TLV@STEL = Threshold limit value – short-time exposure limit
 VOC = Volatile Organic Compounds
 vPvB = very Persistent and very Bioaccumulative

16.3 Other information**Classification procedure****Modified position**

SECTION 3 been added: 2-Methyl-2H-isothiazolin-3-one
 SECTION 3 been added: Mixture: 5-Chloro-2-methyl-2H-isothiazolin-3-one/2-Methyl-4-isothiazolin-3-one (3:1)
 SECTION 3 been added: 1,2-benzisothiazol-3(2H)-one
 SECTION 2 been added: Product treated with preservatives [x].
 SECTION 2 been added: The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).
 SECTION 2 deleted: The product does not require a hazard warning label in accordance with GHS/CLP-directives.
 SECTION 2 been added: Further hazards were not determined with the current level of knowledge.
 SECTION 3 been added: For full text of H-statements: see SECTION 16.
 SECTION 3 deleted: No dangerous components.
 SECTION 8 been added: Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.

Ramsauer GmbH & Co KG

4822 Bad Goisern / H.

Date printed 06.09.2019, Revision 06.09.2019

Version 07. Supersedes version: 06

Page 11 / 11



Copyright: Chemiebüro®

