



**CERT**

# DVGW type examination certificate

## DVGW-Baumusterprüfzertifikat

**DG-8531BP0364**

Registration Number  
Registriernummer

|   |  |
|---|--|
| <b>Field of Application</b><br><i>Anwendungsbereich</i> | products of gas supply<br><i>Produkte der Gasversorgung</i>  |
| <b>Owner of Certificate</b><br><i>Zertifikatinhaber</i> | Eurotubi Europa S.R.L.<br>Via Croce Rossa Italiana, 12, I-20833 Nova Milanese (MI)                   |
| <b>Distributor</b><br><i>Vertreiber</i>                 | Eurotubi Europa S.R.L.<br>Via Croce Rossa Italiana, 12, I-20833 Nova Milanese (MI)                   |
| <b>Product Category</b><br><i>Produktart</i>            | installation systems and system joints: compression joint for metallic gas pipes (8531)              |
| <b>Product Description</b><br><i>Produktbezeichnung</i> | compression joint made of stainless steel for pipes made of stainless steel according to DVGW-GW 541 |
| <b>Model</b><br><i>Modell</i>                           | EUROTUBI Pressfitting Gas  |
| <b>Test Reports</b><br><i>Prüfberichte</i>              | laboratory control test: 120001553-15 from 11.11.2015 (MPM)  |
| <b>Test Basis</b><br><i>Prüfgrundlagen</i>              | DVGW G 5614 (01.12.2013)   |

**Date of Expiry / File No.** 26.07.2019 / 16-0220-GNV  
**Ablaufdatum / Aktenzeichen**

28.06.2016 Rie A-1/2

Date, Issued by, Sheet, Head of Certification Body  
Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle

DVGW CERT GmbH is an accredited body by DAkkS according to DIN EN ISO/IEC 17065:2013 for certification of products for energy and water supply industry.

DVGW CERT GmbH ist von der DAkkS nach DIN EN ISO/IEC 17065:2013 akkreditierte Stelle für die Zertifizierung von Produkten der Energie- und Wasserversorgung.



Deutsche  
Akkreditierungsstelle  
D-ZE-16028-01-05

DVGW CERT GmbH  
Zertifizierungsstelle

Josef-Wirmer-Str. 1-3  
53123 Bonn

Tel. +49 228 91 88 - 888  
Fax +49 228 91 88 - 993

www.dvgw-cert.com  
info@dvgw-cert.com

| <b>Gas Category</b><br><i>Gasart</i> | <b>Remarks</b><br><i>Bemerkungen</i> |
|--------------------------------------|--------------------------------------|
| fuel gases according to G260         |                                      |

| <b>Type</b><br><i>Typ</i> | <b>Technical Data</b><br><i>Technische Daten</i>                | <b>Remarks</b><br><i>Bemerkungen</i> |
|---------------------------|---|--------------------------------------|
| EUROTUBI Pressfitting Gas | nominal pressure rating: PN 5/GT 5<br>nominal diameter: 15 mm   |                                      |
| EUROTUBI Pressfitting Gas | nominal pressure rating: PN 5/GT 5<br>nominal diameter: 18 mm   |                                      |
| EUROTUBI Pressfitting Gas | nominal pressure rating: PN 5/GT 5<br>nominal diameter: 22 mm   |                                      |
| EUROTUBI Pressfitting Gas | nominal pressure rating: PN 5/GT 5<br>nominal diameter: 28 mm   |                                      |
| EUROTUBI Pressfitting Gas | nominal pressure rating: PN 5/GT 5<br>nominal diameter: 35 mm   |                                      |
| EUROTUBI Pressfitting Gas | nominal pressure rating: PN 5/GT 5<br>nominal diameter: 42 mm   |                                      |
| EUROTUBI Pressfitting Gas | nominal pressure rating: PN 5/GT 5<br>nominal diameter: 54 mm   |                                      |
| EUROTUBI Pressfitting Gas | nominal pressure rating: PN 5/GT 5<br>nominal diameter: 76,1 mm |                                      |
| EUROTUBI Pressfitting Gas | nominal pressure rating: PN 5/GT 5<br>nominal diameter: 88,9 mm |                                      |
| EUROTUBI Pressfitting Gas | nominal pressure rating: PN 5/GT 5<br>nominal diameter: 108 mm  |                                      |

#### certified Components

##### *zertifizierte Bauteile / Werkstoffe*

| <b>Registr. No.</b><br><i>Registrier-Nr.</i> | <b>Component</b><br><i>Bauteil (Produktart)</i>                                 | <b>Model/Type</b><br><i>Modell/Typ</i> | <b>Manufacturer</b><br><i>Hersteller</i> |
|--|---|--|--|
| NG-5112BT0220                                | Sealing material made of elastomers for HN 136/HN 136 gas appliances            |  | NOVOTEMA S.p.A.                          |
| NG-5112CL0298                                | Sealing material made of elastomers for TEC H16 GI-70 giallo/TEC gas appliances | H16 GI-70 giallo                       | Tecnogomma International S.p.A.          |

#### Hints of Utilization / Remarks

##### *Verwendungshinweise / Bemerkungen*

Pressing tool: model "novopress" with pressing jaw model "novopress" (for dimensions 15...54 mm) respectively model "Klauke UAP 100" with pressing jaw model "Klauke" (for dimensions 76,1...108 mm).

Permitted ambient temperature range: -20...+70 °C

The requirements of the higher thermal resistance (HTB) are fulfilled up to nominal pressure rating PN 5/GT 5.

